

# HEAVY DUTY FORKLIFTS

<b>Our Reference</b>	HD 1662
<b>Category</b>	Forklifts 1 to 10 Tonne
<b>Title</b>	Hyster h5.5ft
<b>Make</b>	Hyster
<b>Model</b>	h5.5ft
<b>Age</b>	2013
<b>Mast</b>	Duplex
<b>Hours</b>	8,715
<b>Mast Closed</b>	2800mm
<b>Engine Type</b>	Diesel
<b>Lift Capacity</b>	3400mm Max Lift, Side Shift







**Trained Operators and Mechanics Only**  
 Read Operating Manual located on seat or in operators compartment  
 Failure to follow operating, inspection, and maintenance instructions can cause serious injury or death!

**CAPACITY WITH MAST VERTICAL AND EQUIPPED AS SHOWN**

MAXIMUM CAPACITY	Load Centre		
	Dim. A	Dim. B	Dim. C
4930 kg	3400 mm	600 mm	600 mm
4560 kg	3400 mm	700 mm	700 mm

**Check Operating Instructions** **DuraMatch2™ Transmission**

**KNOW THE EQUIPMENT:**  
 ALWAYS use 2 points of contact when getting on or off the truck.  
 OPERATE operating, inspection and maintenance instructions, and warnings in MANUAL.  
 DO NOT operate on wet or icy surfaces.  
 DO NOT use the truck on uneven ground.  
 ALWAYS use proper tie-down technique and use proper tie-down technique.  
 ALWAYS use proper tie-down technique and use proper tie-down technique.

**LOOK WHERE YOU ARE GOING:**  
 IF YOU CAN'T SEE, DON'T GO!  
 ALWAYS use proper tie-down technique and use proper tie-down technique.  
 ALWAYS use proper tie-down technique and use proper tie-down technique.

**USE COMMON SENSE:**  
 ALWAYS use proper tie-down technique and use proper tie-down technique.  
 ALWAYS use proper tie-down technique and use proper tie-down technique.

**KNOW THE AREA:**  
 ALWAYS use proper tie-down technique and use proper tie-down technique.  
 ALWAYS use proper tie-down technique and use proper tie-down technique.



01704 840859 / 07710 084386

Email:sales@hdforklifts.co.uk

HD Forklifts, Unit 2, Heaton Court, Smithy Lane, Scarisbrick, Lancashire, L40 8HS

November 23, 2024, 8:07 pm